

SCHOOL SYSTEM : # 20-0001 WEST POINT 1									System Class : 3
Cnty #	County Name	Base school name		Class	Basesch	Unif/LC	U/L	2014 Totals	
20	CUMING	WEST POINT 1		3	20-0001			UNADJUSTED	
2014	Personal Property	Centrally Assessed Pers. Prop.	Real	Residential Real Prop.	Comm. & Indust. Real Prop.	Ag.Improvmts. & Farmsites	Agric. Land	Mineral	UNADJUSTED
Unadjusted Value ==>	52,340,108	2,163,588	468,399	190,931,940	70,344,935	35,769,400	683,625,135	0	1,035,643,505
Level of Value ==>			96.33	95.00	99.00		72.00		
Factor			-0.00342572	0.01052632	-0.03030303				
Adjustment Amount ==>			-1,605	2,009,811	-2,105,848		0		
* TIF Base Value				0	851,940		0		ADJUSTED
20 Cnty's adjst. value==> in this base school	52,340,108	2,163,588	466,794	192,941,751	68,239,087	35,769,400	683,625,135	0	1,035,545,863
Cnty #	County Name	Base school name		Class	Basesch	Unif/LC	U/L	2014 Totals	
27	DODGE	WEST POINT 1		3	20-0001			UNADJUSTED	
2014	Personal Property	Centrally Assessed Pers. Prop.	Real	Residential Real Prop.	Comm. & Indust. Real Prop.	Ag.Improvmts. & Farmsites	Agric. Land	Mineral	UNADJUSTED
Unadjusted Value ==>	0	0	0	0	0	0	824,340	0	824,340
Level of Value ==>			0.00	0.00	0.00		74.00		
Factor							-0.02702703		
Adjustment Amount ==>			0	0	0		-22,279		
* TIF Base Value				0	0		0		ADJUSTED
27 Cnty's adjst. value==> in this base school	0	0	0	0	0	0	802,061	0	802,061
System UNadjusted total==>	52,340,108	2,163,588	468,399	190,931,940	70,344,935	35,769,400	684,449,475	0	1,036,467,845
System Adjustment Amnts==>			-1,605	2,009,811	-2,105,848		-22,279		-119,921
System ADJUSTED total==>	52,340,108	2,163,588	466,794	192,941,751	68,239,087	35,769,400	684,427,196	0	1,036,347,924

\*TIF = Tax Increment Financing; TIF Base value is included in the taxable value, however it must remain unadjusted, therefore it is backed out prior to calculating the adjustment amount & then added back to the total adjusted school value. TIF Excess Value is never included in the taxable value for schools. Factors rounded for display. Agland adjusted to 72%, other real property adjusted to 96%.